

Index der Chromosomenzählungen und Ploidieangaben in Kochia 1–10 (2006–2017)

- Achillea crithmifolia* – $2n = 36$ – Kochia 7: 109–110. 2013
Achillea millefolium s. l. – $2n = 45$ – Kochia 6: 143. 2012
Achillea roseoalba – $2n = 18$ – Kochia 2: 31. 2007
Allium atropurpureum – $2n = 16$ – Kochia 2: 31. 2007
Allium rotundum subsp. *rotundum* – $2n = 48$ – Kochia 7: 110. 2013
Allium suaveolens – $2n = 16$ – Kochia 1: 135. 2006
Anthoxanthum nipponicum – $2n = 10$ – Kochia 4: 37. 2009
Anthriscus cerefolium var. *trichospermus* – $2n = 18$ – Kochia 4: 37. 2009
Arabis nemorensis – $2n$ ca. 16 – Kochia 7: 110. 2013
Arabis sagittata – $2n = 16$ – Kochia 1: 136. 2006
Armeria maritima subsp. *elongata* – $2n$ ca. 18 – Kochia 6: 143–144. 2012
Armeria vulgaris („halleri“) – $2n = 18$ – Kochia 2: 31. 2007
Arum italicum – $2n = 84$ – Kochia 1: 136. 2006
Briza media – $2n = 14$ – Kochia 2: 31. 2007
Bromus racemosus subsp. *lusitanicus* – $2n = 14$ – Kochia 3: 7. 2008
Buglossoides purpureocaerulea – $2n = 16$ – Kochia 6: 144. 2012
Bupleurum longifolium – $2n = 16$ – Kochia 4: 37. 2009
Calamagrostis pseudophragmites – $n = 14$ – Kochia 4: 38. 2009
Calamagrostis varia – $2n = 28$ – Kochia 4: 38. 2009
Calamagrostis varia – $n = 14$ – Kochia 4: 38. 2009
Calamagrostis varia subsp. *varia* – $n = 14$ – Kochia 9: 105. 2015
Callitriche cophocarpa – $2n = 10$ – Kochia 4: 38. 2009
Callitriche cophocarpa × *platycarpa* – $2n = 15$ – Kochia 4: 38. 2009
Callitriche hamulata – $2n = 38$ – Kochia 4: 38. 2009
Callitriche platycarpa – $2n = 20$ – Kochia 4: 38. 2009
Callitriche stagnalis – $2n = 10$ – Kochia 4: 39. 2009
Callitriche vigens – $2n = 15$ – Kochia 6: 144. 2012
Campanula gentilis – $2n = 34$ – Kochia 8: 63. 2014
Campanula gentilis – $2n = 34$ – Kochia 8: 63–64. 2014
Cardamine amara subsp. *amara* – $2n = 16$ – Kochia 9: 105. 2015
Cardamine amara subsp. *amara* – $2n = 16$ – Kochia 9: 105. 2015
Cardamine amara subsp. *amara* – $2n = 16$ – Kochia 9: 106. 2015
Cardamine flexuosa – $2n = 32$ – Kochia 9: 106. 2015
Cardamine hirsuta – $n = 8, 2n = 16$ – Kochia 9: 106. 2015
Cardamine pratensis – $2n = 16$ – Kochia 4: 39. 2009
Cardamine pratensis – $2n = 16$ – Kochia 7: 110. 2013
Carex depauperata – $2n = 44$ – Kochia 7: 110. 2013
Carex pilulifera – $2n = 18$ – Kochia 4: 39. 2009
Centaurea australis – $2n = 36$ – Kochia 3: 56. 2008
Centaurea australis × *stoebe* – $2n = 27$ – Kochia 3: 56. 2008
Centaurea nigra subsp. *nemoralis* – $2n = 22$ – Kochia 5: 33. 2011
Centaurea stoebe – $2n = 18$ – Kochia 2: 32. 2007
Centaurea stoebe – $2n = 18$ – Kochia 3: 55. 2008
Chaerophyllum aureum – $2n = 22$ – Kochia 6: 144. 2012
Cornus sanguinea subsp. *hungarica* – $2n = 22$ – Kochia 2: 32. 2007
Crepis mollis – $2n = 12$ – Kochia 5: 34. 2011
Cynoglossum officinale – $2n = 24$ – Kochia 2: 32. 2007
Danthonia decumbens – $2n = 36; 6x$ – Kochia 10: 46. 2017
Danthonia decumbens – $6x$ – Kochia 10: 46–47. 2017
Danthonia decumbens subsp. *decumbens* – $2n = 36$ – Kochia 5: 34. 2011
Danthonia decumbens subsp. *decumbens* – $2n = 36$ – Kochia 7: 110. 2013
Draba muralis – $2n = 32$ – Kochia 1: 136. 2006
Dryopteris borrieri – $n = 123$ – Kochia 4: 39. 2009
Dryopteris cambrensis subsp. *cambrensis* – $n = 123$ – Kochia 4: 39. 2009

Dryopteris cf. borrieri – 2n = ca. 123 – Kochia 4: 39. 2009
Dryopteris dilatata – 2n = 164 – Kochia 4: 39. 2009
Dryopteris dilatata – n = 82 – Kochia 4: 39. 2009
Dryopteris expansa – n = 41 – Kochia 4: 39. 2009
Dryopteris lacunosa – 2n = ca. 120 – Kochia 5: 16. 2011
Eleocharis palustris subsp. *palustris* – 2n = 16 – Kochia 3: 56. 2008
Eleocharis palustris subsp. *palustris* – 2n = 16 – Kochia 4: 39–40. 2009
Empetrum hermaphroditum – 2n = ca. 52 – Kochia 4: 40. 2009
Epilobium obscurum – 2n = 36 – Kochia 7: 111. 2013
Erigeron annuus subsp. *septentrionalis* – 2n = 27 – Kochia 4: 40. 2009
Erucastrum gallicum – n = 15 – Kochia 1: 136. 2006
Erysimum virgatum – 2n = 48 – Kochia 2: 32. 2007
Euphorbia cf. xpseudovirgata – 2n = 60, ca. 60 – Kochia 1: 136. 2006
Euphorbia cyparissias – 2n ca. 40 – Kochia 6: 144. 2012
Euphorbia dulcis subsp. *dulcis* – 2n = 24 – Kochia 6: 144. 2012
Euphorbia esula – 2n ca. 64 – Kochia 7: 111. 2013
Euphorbia pseudovirgata – 2n = 60 – Kochia 7: 111. 2013
Euphorbia virgata – 2n = 20 – Kochia 7: 111. 2013
Festuca amethystina subsp. *ritschlii* – 2n = 28 – Kochia 5: 35. 2011
Festuca csikhegyensis – n = 14 – Kochia 4: 40. 2009
Festuca duvalii – 2n = 28 – Kochia 8: 18. 2014. 2014
Festuca guestfalica – 2n = 28 – Kochia 5: 35. 2011
Festuca guestfalica – 2n = 28 – Kochia 6: 27. 2012
Festuca guestfalica – 2n ca. 28 – Kochia 6: 27. 2012
Festuca heterophylla – 2n = 28 – Kochia 4: 40. 2009
Festuca patzkei – 2n = 14 – Kochia 5: 35. 2011
Festuca rhenana – 2n = 42 – Kochia 6: 16, 18. 2012
Festuca rubra subsp. *juncea* – 2n = 42 – Kochia 4: 40. 2009
Fragaria moschata – 2n = 42 – Kochia 4: 41. 2009
Fumaria wirtgenii – 2n = 48 – Kochia 2: 32. 2007
Galium mollugo – 2n = 22 – Kochia 3: 56. 2008
Galium palustre subsp. *palustre* – 2n = 24 – Kochia 4: 42. 2009
Hylotelephium maximum – 2n = 24 – Kochia 6: 145. 2012
Hylotelephium maximum – 2n ca. 24 – Kochia 8: 64. 2014
Hylotelephium vulgare – 2n = 24 – Kochia 4: 42. 2009
Hylotelephium vulgare – 2n = 24 – Kochia 6: 145. 2012
Hylotelephium vulgare – 2n ca. 24 – Kochia 6: 145. 2012
Hymenolobus procumbens – 2n = 12 – Kochia 1: 137. 2006
Hypericum dubium – 2n = 32 – Kochia 4: 42. 2009
Hypericum dubium – 2n = ca. 32 – Kochia 4: 42. 2009
Hypericum maculatum subsp. *maculatum* – 2n = 16 – Kochia 3: 57. 2008
Hypericum maculatum subsp. *maculatum* – 2n = 16 – Kochia 4: 42. 2009
Impatiens balfourii – 2n = 14 – Kochia 3: 57. 2008
Impatiens capensis – 2n = 20 – Kochia 3: 57. 2008
Lamium hybridum – 2n = 36 – Kochia 7: 111–112. 2013
Lepidium densiflorum – 2n = ca. 32 – Kochia 5: 35. 2011
Lepidium heterophyllum – 2n = 16 – Kochia 1: 137. 2006
Lepidium virginicum – 2n = 32 – Kochia 1: 137. 2006
Leucanthemum irtutianum – 2n = 36 – Kochia 4: 42. 2009
Leucanthemum irtutianum – 2n = ca. 36 – Kochia 4: 42. 2009
Leucanthemum irtutianum – 2n = 36 – Kochia 6: 144–145. 2012
Leucanthemum vulgare – 2n = 18 – Kochia 4: 42. 2009
Linum leonii – 2n = 20 – Kochia 2: 32. 2007
Lotus tenuis – 2n = 12 – Kochia 2: 32. 2007
Melica ciliata subsp. *nebrodensis* – n = 9 – Kochia 2: 33. 2007
Melica transsilvanica – 2n = 18 – Kochia 4: 43. 2009
Minuartia mediterranea – 2n = 24 – Kochia 2: 23. 2007
Myosotis alpestris – 2n = 24 – Kochia 4: 43. 2009

Myosotis arvensis – 2n = 66 – Kochia 2: 33. 2007
Myosotis nemorosa – 2n = 22 – Kochia 2: 33–34. 2007
Myosotis nemorosa – 2n = 22 – Kochia 4: 43. 2009
Myosotis sparsiflora – 2n = 18 – Kochia 3: 57. 2008
Myosotis sylvatica – 2n = 18 – Kochia 2: 34. 2007
Ornithogalum angustifolium (als *O. cf. kochii*) – 2n = 18 – Kochia 7: 112. 2013
Ornithogalum spec. – 2n = 18 – Kochia 6: 146. 2012
Ornithogalum umbellatum – 2n ca. 27, 3x – Kochia 10: 49. 2017
Ornithogalum umbellatum – 3x – Kochia 10: 49. 2017
Ornithogalum divergens/O. vulgare – 2n = 36, 4x – Kochia 10: 49. 2017
Ornithogalum divergens/O. vulgare – 4x – Kochia 10: 49–50. 2017
Ornithogalum divergens/O. vulgare – 5x – Kochia 10: 50. 2017
Ornithogalum divergens/O. vulgare (als *O. umbellatum*) – 2n = ca. 45 – Kochia 5: 36. 2011
Ornithogalum umbellatum (als *O. angustifolium*) – 2n = 27 – Kochia 5: 35–36. 2011
Ornithogalum umbellatum (als *O. angustifolium*) – 2n = 27 – Kochia 6: 145–146. 2012
Ornithogalum umbellatum (als *O. angustifolium*) – 2n = 27 – Kochia 7: 112. 2013
Parietaria judaica – 2n = 26 – Kochia 3: 57. 2008
Parietaria officinalis – 2n = 14 – Kochia 3: 57. 2008
Persicaria mitis (als *P. dubia*) – 2n = 40 – Kochia 3: 58. 2008
Phleum nodosum – 2n = 14 – Kochia 5: 36. 2011
Phytolacca esculenta – 2n = 72 – Kochia 3: 58. 2008
Pimpinella peregrina – 2n = 18 – Kochia 3: 58. 2008
Poa xnannfeldtii (= *P. annua* × *supina*) – 2n = 21 – Kochia 5: 36. 2011
Poa annua – 2n = 28 – Kochia 4: 43. 2009
Poa compressa – 2n = 14 – Kochia 7: 113. 2013
Poa supina – 2n = 14 – Kochia 4: 43. 2009
Poa supina – 2n = 14 – Kochia 5: 36. 2011
Potentilla anglica – 2n = 56 – Kochia 6: 146. 2012
Potentilla cf. (anglica × *erecta* [*xsuberecta*]) *xerecta* – 2n = 35 – Kochia 7: 113. 2013
Potentilla heptaphylla – 2n = 14, 21 – Kochia 1: 138. 2006
Potentilla heptaphylla – 2n = 14 – Kochia 8: 64–65. 2014
Potentilla incana – 2n = 28 – Kochia 8: 65. 2014
Potentilla incana × *verna* – 2n = 35 – Kochia 6: 147. 2012
Potentilla inclinata – 2n = 42 – Kochia 3: 58–59. 2008
Potentilla intermedia – 2n = 56, 2n = ca. 56 – Kochia 3: 59. 2008
Potentilla micrantha – 2n = 14 – Kochia 3: 59. 2008
Potentilla rupestris – 2n = 14 – Kochia 3: 59. 2008
Potentilla supina subsp. *supina* – 2n = 28 – Kochia 6: 147. 2012
Puccinellia distans – 2n = 42 – Kochia 7: 113. 2013
Puccinellia distans – 2n ca. 42 – Kochia 10: 50–51. 2017
Puccinellia limosa – 2n = 14 – Kochia 7: 113. 2013
Pulmonaria angustifolia – 2n = 14 – Kochia 9: 106. 2015
Pulmonaria cf. collina – 2n = 18 – Kochia 4: 43. 2009
*Pulmonaria collina*¹ (als *P. mollis*) – 2n = 18 – Kochia 8: 66. 2014
Pulmonaria mollis subsp. *alpigena* – 2n = 18 – Kochia 4: 43–44. 2009
Pulmonaria mollis subsp. *mollis* – 2n = 18 – Kochia 4: 44. 2009
Pulmonaria mollis subsp. *mollis* – 2n = 18 – Kochia 9: 106–107. 2015
Pulmonaria montana subsp. *montana* – 2n = 22 – Kochia 9: 106. 2015
Pulmonaria montana subsp. *montana* – 2n = 24 – Kochia 8: 66. 2014
Ranunculus aemulans – 2n = 32 – Kochia 2: 34. 2007
Rorippa amphibia – 2n = 32 – Kochia 1: 138. 2006
Rorippa austriaca – 2n = 16 – Kochia 1: 138. 2006
Rosa arvensis – 2n = 14 – Kochia 3: 59. 2008
Rumex triangulivalvis – 2n = 20 – Kochia 2: 34. 2007
Scabiosa columbaria subsp. *pratensis* – 2n = 16 – Kochia 8: 66. 2014
Scabiosa columbaria subsp. *pratensis* – 2n = 16 – Kochia 8: 66. 2014

¹ Korrektur der Bestimmung nach Meierott (2015, Ber. Bayer. Bot. Ges. 85: 117–120).

Scilla amoena – 2n = 12 – Kochia 8: 66. 2014
Scorzonera laciniata – 2n = 14 – Kochia 6: 147. 2012
Sedum villosum – 2n = 30 – Kochia 4: 44. 2009
Seseli annuum – 2n = 16 – Kochia 6: 147. 2012
Seseli montanum – 2n = 22 – Kochia 6: 147–148. 2012
Silene chlorantha – 2n = 24 – Kochia 6: 148. 2012
Sisymbrium orientale – 2n = 14 – Kochia 1: 138. 2006
Solanum nigrum subsp. *schultesii* – 2n = 72 – Kochia 3: 60. 2008
Stellaria apetala – 2n = 22 – Kochia 9: 97–98. 2015
*Stellaria media*² (als *Stellaria* cf. *neglecta*) – 2n = 44 – Kochia 7: 113–114. 2013
Stellaria media – 2n ca. 40 – Kochia 9: 98. 2015
Stellaria media – 2n = 40 – Kochia 9: 98–99. 2015
Stellaria media – 2n = 80 – Kochia 9: 98. 2015
Stellaria neglecta – 2n = 22 – Kochia 9: 99–100. 2015
Tanacetum partheniifolium – 2n = 18 – Kochia 2: 34. 2007
Taraxacum (*Erythrosperma*) *brachyglossum* – 2n = 24 – Kochia 10: 51. 2017
Taraxacum (*Erythrosperma*) *disseminatum* – 2n = 24 – Kochia 10: 51. 2017
Taraxacum (*Erythrosperma*) *lacistophylloides* – 2n = 24 – Kochia 10: 51. 2017
Taraxacum (*Erythrosperma*) *lacistophyllum* – 2n = 24 – Kochia 10: 51. 2017
Taraxacum (*Erythrosperma*) *lacistophyllum* – 2n = 24 – Kochia 10: 51. 2017
Taraxacum (*Erythrosperma*) *linguatifrons* – 2n = 24 – Kochia 10: 51. 2017
Taraxacum (*Erythrosperma*) *parnassicum* – 2n = 24 – Kochia 10: 51. 2017
Taraxacum (*Erythrosperma*) *parnassicum* – 2n = 24 – Kochia 10: 51. 2017
Taraxacum (*Erythrosperma*) *plumbeum* – 2n = 24 – Kochia 10: 51. 2017
Taraxacum (*Erythrosperma*) *plumbeum* – 2n = 24 – Kochia 10: 51. 2017
Taraxacum (*Erythrosperma*) *proximum* – 2n = 24 – Kochia 10: 51. 2017
Taraxacum (*Erythrosperma*) *rubicundum* – 2n = 24 – Kochia 10: 51. 2017
Taraxacum (*Erythrosperma*) *scanicum* – 2n = 24 – Kochia 10: 52. 2017
Taraxacum (*Erythrosperma*) *scanicum* – 2n = 24 – Kochia 10: 52. 2017
Taraxacum (*Erythrosperma*) *tenuilobum* – 2n = 24 – Kochia 10: 52. 2017
Taraxacum (*Erythrosperma*) *tortilobum* – 2n = 24 – Kochia 10: 52. 2017
Thalictrum simplex subsp. *galioides* – 2n = 28 – Kochia 10: 52. 2017
Thalictrum simplex subsp. *tenuifolium* – 2n = 42 – Kochia 7: 114. 2013
Thlaspi alliaceum – 2n = 14 – Kochia 5: 36. 2011
Thymus serpyllum – 2n = 24 – Kochia 1: 138. 2006
Thymus serpyllum var. *porphyrogenitus* – 2n = 24 – Kochia 1: 138. 2006
Torilis arvensis subsp. *recta* – 2n = 12 – Kochia 2: 34. 2007
Urtica dioica – 2n = 48 – Kochia 4: 44. 2009
Urtica dioica var. *angustifolia* – 2n = 24 – Kochia 4: 44. 2009
Urtica subinermis – 2n = 26 – Kochia 7: 114. 2013
Vaccinium uliginosum s. str. – 2n = 48 – Kochia 4: 44. 2009
Valeriana officinalis – 2n = 14 – Kochia 7: 114. 2013
Valeriana pratensis subsp. *angustifolia* – 2n = 28 – Kochia 9: 107. 2015
Veronica acinifolia – 2n = 14 – Kochia 9: 105. 2015
Veronica austriaca – 2n = 48 – Kochia 7: 114–115. 2013
Veronica opaca – 2n = 28 – Kochia 4: 44. 2009
Veronica prostrata – 2n = 16 – Kochia 6: 148–149. 2012
Veronica teucrium – 2n = 64 – Kochia 4: 44. 2009
Veronica teucrium – 2n = 64 – Kochia 8: 66–68. 2014
Veronica teucrium – 2n ca. 64 – Kochia 8: 68–69. 2014
Viola x bavarica – 2n = 30 – Kochia 9: 107. 2015
Viola alba – 2n = 20 – Kochia 6: 149. 2012
Viola bavarica – 2n = 30 – Kochia 7: 115. 2013
Viola cf. *stagnina* – 2n = 20 – Kochia 5: 37. 2011
Viola collina – 2n = 20 – Kochia 9: 108. 2015
Viola kitaibeliana – 2n = 16 – Kochia 5: 37. 2011

² Korrektur der Bestimmung nach Hügin (2015, Kochia 9: 93–103).

Viola odorata – $2n = 20$ – Kochia 8: 69. 2014
Viola suavis – $2n = 40$ – Kochia 7: 114. 2013
Vulpia bromoides – $n = 7$; $2n = 14$ – Kochia 4: 44. 2009